

U.S. Department of Transportation

IAEA CERTIFICATE OF COMPETENT AUTHORITY SPECIAL FORM RADIOACTIVE MATERIALS

Pipeline and Hazardous Materials Safety Administration CERTIFICATE USA/0392/S-96, REVISION 13

This certifies that the source described has been demonstrated to meet the regulatory requirements for special form radioactive material as prescribed in the regulations of the International Atomic Energy Agency 1 and the United States of America 2 for the transport of radioactive material.

- 1. Source Identification QSA Global, Inc. Model 875 Capsule.
- 2. Source Description Cylindrical single encapsulation made of Type 304 or 304L stainless steel and tungsten inert gas or laser welded. Approximate exterior dimensions are 5.2 mm (0.205 in.) in diameter and 7.84 mm (0.309 in.) in length. Inside dimensions vary, but minimum wall thickness is 0.482 mm (0.019 in.). Construction shall be in accordance with attached QSA Global, Inc. Drawing No. R875 INNER, Rev. C.
- 3. Radioactive Contents No more than either 8.9 TBq (240.0 Ci) of Cobalt-60 or 14.8 TBq (400.0 Ci) of Iridium-192 in the form of metallic wafers or pellets.
- 4. Management System Activities Records of Management System activities required by Paragraph 306 of the IAEA regulations shall be maintained and made available to the authorized officials for at least three years after the last shipment authorized by this certificate. Consignors in the United States exporting shipments under this certificate shall satisfy the requirements of Subpart H of 10 CFR 71.
- 5. Expiration Date This certificate expires on July 31, 2027. Previous editions which have not reached their expiration date may continue to be used.

 1 "Regulations for the Safe Transport of Radioactive Material, 2012 Edition, No. SSR-6" published by the International Atomic Energy Agency (IAEA), Vienna, Austria.

 $^{^2}$ Title 49, Code of Federal Regulations, Parts 100-199, United States of America.

CERTIFICATE USA/0392/S-96, REVISION 13

This certificate is issued in accordance with paragraph(s) 804 of the IAEA Regulations and Section 173.476 of Title 49 of the Code of Federal Regulations, in response to the July 5, 2022 petition by QSA Global, Inc., Burlington, MA, and in consideration of other information on file in this Office.


Certified By:

Materials Safety

William Schoonover
Associate Administrator for Hazardous

July 25, 2022 (DATE)

Revision 13 - Issued to extend the expiration date.



NOTES:

MATERIAL: 304L STAINLESS STEEL

←. ci w.

INTERNAL VOID VOLUME TO BE 0.010 mL OR GREATER. INNER CAVITY DIMENSIONS MAY VARY. METALLIC SPACERS, SPRINGS AND GUARDS WHICH SECURE AND/OR LOCATE THE

RADIOACTIVE MATERIAL WITHIN THE CAPSULE MAY BE USED. MINIMUM WALL THICKNESS TO BE 0.019. 4.

	لبا		إبا	₩O	
DESCRIPTIVE DRAWING			TITLE 875 SERIES INNER CAPSULE	R875 INNER	SHEET 1 OF 1
	QSA GLOBAL	1 AC SCALE OF TO NORTH AVE, BURLINGTON, MA 01803	SERIES IN		SCALE: NONE
	150		. 875	SIZE DWG. NO.	SCALE:
5		ш	SIZE		
DATE	15/2007	DECOME OF	PECIFIED S		C
ARPROVALS	hum	Pullo	UNLESS OTHERWISE SPECIFIED DIMENSIONS IN INCHES TOLERANCES:	FRACTIONS ± 1/8 X.X ± 0.12	X.XX ± 0.06 X.XXX + 0.020

1739

#

ERF

C C





Pipeline and Hazardous Materials Safety Administration

CERTIFICATE NUMBER: USA/0392/S-96

ORIGINAL REGISTRANT(S):

QSA Global, Inc. 40 North Avenue Burlington, MA, 01803 USA