



U.S. Department
of Transportation
**Pipeline and
Hazardous Materials
Safety Administration**

East Building, PHH-23
1200 New Jersey Avenue Southeast
Washington, D.C. 20590

**COMPETENT AUTHORITY CERTIFICATION
FOR A TYPE FISSILE
RADIOACTIVE MATERIALS PACKAGE DESIGN
CERTIFICATE USA/0585/AF-96, REVISION 3**

**REVALIDATION OF JAPANESE COMPETENT AUTHORITY
CERTIFICATE J/159/AF-96**

This certifies that the radioactive material package design described is hereby approved for use within the United States for import and export shipments only. Shipments must be made in accordance with the applicable regulations of the International Atomic Energy Agency¹ and the United States of America².

1. Package Identification - MST-30.
2. Package Description and Authorized Radioactive Contents - as described in Japan Certificate of Competent Authority J/159/AF-96, Revision 1 (attached).
3. Criticality - The minimum criticality safety index is 5.0. The maximum number of packages per conveyance is determined in accordance with Table X of the IAEA regulations cited in this certificate.
4. General Conditions -
 - a. Each user of this certificate must have in his possession a copy of this certificate and all documents necessary to properly prepare the package for transportation. The user shall prepare the package for shipment in accordance with the documentation and applicable regulations.
 - b. Each user of this certificate, other than the original petitioner, shall register his identity in writing to the Office of Hazardous Materials Technology, (PHH-23), Pipeline and Hazardous Materials Safety Administration, U.S. Department of Transportation, Washington D.C. 20590-0001.
 - c. This certificate does not relieve any consignor or carrier from compliance with any requirement of the Government of any country through or into which the package is to be transported.

¹ "Regulations for the Safe Transport of Radioactive Material, 1996 Edition (Revised), No. TS-R-1 (ST-1, Revised)," published by the International Atomic Energy Agency (IAEA), Vienna, Austria.


² Title 49, Code of Federal Regulations, Parts 100-199, United States of America.

CERTIFICATE USA/0585/AF-96, REVISION 3

- d. Records of Quality Assurance activities required by Paragraph 310 of the IAEA regulations¹ shall be maintained and made available to the authorized officials for at least three years after the last shipment authorized by this certificate. Consignors in the United States exporting shipments under this certificate shall satisfy the applicable requirements of Subpart H of 10 CFR 71.
5. Special Conditions -
- a. Cylinders used under this certificate must have been designed and manufactured in compliance with the ANSI N14.1 standard in effect at the time of manufacture.
- b. Cylinders used under this certificate must be operated, maintained and handled in accordance with the ANSI N14.1 standard in effect at the time of shipment.
6. Marking and Labeling - The package shall bear the marking USA/0585/AF-96 in addition to other required markings and labeling.
7. Expiration Date - This certificate expires on May 24, 2015. On December 12, 2012, this certificate supersedes all previous revisions of USA/0585/AF-96.

This certificate is issued in accordance with paragraph 814 of the IAEA Regulations and Section 173.472 and 173.473 of Title 49 of the Code of Federal Regulations, in response to the April 10, 2012 petition by Transport Logistics International, Fulton, MD, and in consideration of other information on file in this Office.

Certified By:



Dr. Magdy El-Sibaie
Associate Administrator for Hazardous Materials Safety

May 10 2012
(DATE)

Revision 3 - Issed to endorse Japanese Certificate of Approval No. J/159/AF-96, Revision 1.

IDENTIFICATION MARK

J/159/AF-96 (Rev.1)

COMPETENT AUTHORITY

OF

JAPAN

CERTIFICATE FOR APPROVAL OF

PACKAGE DESIGN

FOR THE TRANSPORT OF

RADIOACTIVE MATERIALS

ISSUED BY

MINISTRY OF ECONOMY, TRADE AND INDUSTRY

1-3-1, KASUMIGASEKI, CHIYODA-KU,

TOKYO, JAPAN

CERTIFICATE OF APPROVAL OF PACKAGE DESIGN
FOR THE TRANSPORT OF RADIOACTIVE MATERIAL

This is to certify, in response to the application by MITSUBISHI NUCLEAR FUEL CO., LTD., that the package design described herein complies with the design requirements for a package containing fissile uranium hexafluoride, specified in the 2005 Edition of the Regulations for the Safe Transport of Radioactive Materials (International Atomic Energy Agency, Safety Standards Series No.TS-R-1) and the Japanese rules based on the Law for Regulation of Nuclear Source Materials, Nuclear Fuel Materials and Reactors.

This certificate does not relieve the consignor from compliance with any requirement of the government of any country through or into which the package will be transported.

COMPETENT AUTHORITY

IDENTIFICATION MARK : J/159/AF-96 (Rev.1)

June 15, 2010

Date

Izuru Hanaki

Izuru Hanaki

Director

Nuclear Fuel Transport and Storage
Regulation Division

Nuclear and Industrial Safety Agency

Ministry of Economy, Trade and Industry

Competent Authority of Japan

for Package Design Approval

1. The Competent Authority Identification Mark : J/159/AF-96 (Rev.1)
2. Name of Package : MST-30
3. Type of Package : Type A, Fissile Material and Uranium Hexafluoride Package
4. Specification of Package
 - (1) Material of Packaging : See the attached Table-1
 - (2) Total Weight of Packaging : 1,893 kg or less
 - (3) Outer Dimensions of Packaging :
 - (i) Length : Approximately 2.4 m
 - (ii) Width : Approximately 1.3 m
 - (iii) Height : Approximately 1.4 m
 - (4) Total Weight of Package : 4,170 kg or less
 - (5) Illustration of Package : See the attached Figure-1 (Bird's-eye view)
5. Specification of Radioactive Contents : See the attached Table-2
6. Description of Containment System

Containment system consists of 30B cylinder, valve and plug.
Teflon rubber is used for valve gaskets.
7. For Package containing Fissile Materials,
 - (1) Restrictions on Package
 - (i) Restriction Number "N" : No restriction
 - (ii) Array of Package : No restriction
 - (iii) Criticality Safety Index (CSI) : 0
 - (2) Description of Confinement System

Confinement system consists of a mass of uranium hexafluoride and 30B cylinder.
 - (3) Assumptions of Leakage of Water into Package

No water will leak into or out of any void spaces of 30B cylinder not only during routine transport but also under normal and accident conditions even if the protective overpack is fractured and deformed.
 - (4) Special Features in Criticality Assessment

Quality control of 30B cylinder including its valve and plug should be performed so as to prevent any leakage of water thereinto.
8. For Type B(M) Packages, a statement regarding prescriptions of Type B(U) Package that do not apply to this Package

This is not applicable to this type MST-30 package.

9. Assumed Ambient Conditions

- (1) Ambient Temperature Range : $-20^{\circ}\text{C} \sim 38^{\circ}\text{C}$
- (2) Insolation Date : Table XI of IAEA Regulation

10. Handling, Inspection and Maintenance

Execute a handling, the periodic inspection and maintenance of the packaging used for the transportation of this package by the method indicated in safety analysis report of this package.

11. Expiry Date

- (1) Issue Date : May 25, 2010
- (2) Expiry Date : May 24, 2015

12. Note

- (1) It is required by Japanese regulations to acquire Confirmation of Package for each shipment. Licensees could get Approval of Packaging for individual packaging beforehand.
- (2) The previous certificate (I.D. Mark J/159/AF-96) may be used until December 12, 2012.




Figure-1 MST-30 Type Transport Package External Appearance

Table-1 Material of Packaging

Construction		Material
Protective Packaging	External Shell	Stainless Steel(SUS304)
	Internal Shell	
	Heat Insulator	Phenolic Foam
	Support	Polyurethane Foam
	Pad	Sponge Rubber and Neoprene
Cylinder	Shell	Pressure Vessel Plates, Carbon Steel, for Moderate-and
	Heads	Lower-Temperature Service (ASTM A516)
	Skirt	Pressure Vessel Plates, Carbon Steel, for Moderate-and Lower-Temperature Service (ASTM A516) or Structural Steel (ASTM A36)
	Valve	Aluminum Bronze (Alloy 636)
	Plug	Aluminum Bronze (ASTM B150)

Table-2 Specification of Content

Material of Nuclear Fuel	Uranium Hexafluoride (UF ₆)	
Physical State	Solid (Block and Powder)	
Total Weight of Nuclear Fuel	2,277 kg ·UF ₆ or less	
Total Activity	265 GBq or less	
Initial Enrichment	5% or less	
Total Heat Generation Rate	Not Applicable	
Burn Up Rate		
Cooling Time		
Moderation Control, i.e. H/U Atomic Ratio	Less than 0.088 (As Purity of UF ₆ is more than or equivalent to 99.5 %)	
Radio-nuclides	²³² U	≤ 0.0001 μg/g U
	²³⁴ U	≤ 11.0 × 10 ³ μg/g ²³⁵ U
	²³⁶ U	≤ 250 μg/g U
	⁹⁹ Tc	≤ 0.01 μg/g U
	If the ²³⁶ U measurement result is less than 125 μg/g U, then measurement of ²³² U and ⁹⁹ Tc is not required .	



U.S. Department
of Transportation

East Building, PHH-23
1200 New Jersey Avenue SE
Washington, D.C. 20590

**Pipeline and
Hazardous Materials
Safety Administration**

CERTIFICATE NUMBER: USA/0585/AF-96, Revision 3

ORIGINAL REGISTRANT(S):

Mr. Darren Condrey
Transport Logistics International
Transport Logistics International
8161 Maple Lawn Blvd
Suite 450
Fulton, 20759
USA

Mr. Mark Lambert
Transport Logistics International
Transport Logistics International
8161 Maple Lawn Blvd.
Suite 450
Fulton, 20759
USA

Norman Kent
Director Engineering Services
Transport Logistics International
TLI Engineering Services
3700 Forest Drive
Suite 202
Columbia, 29204
USA

REGISTERED USER(S):

Charlie Sanders
Nuclear Criticality Safety & Shipping Containers
Areva - TN Inc
1724 Mount Athos Road
P.O. Box 11646
Lynchburg, VA 24506-1646

Ms. Catherine Anne
Director of Transport Operations
Areva - TN Inc
7135 Minstrel Way
Suite 300
Columbia, 21045
USA

Mr. Jim Davis
Areva - TN Inc
2101 Horn Rapids Road
Richland, WA 99352

Mr. Eric Miller
Areva - TN Inc
P.O. Box 11646
Lynchburg, VA 24506-1646

Ralf Witten
Areva - TN Inc
Abteilung ANF-LP
Advanced Nuclear Fuels GmbH
Postfach 1485
Lingen, Niedersachsen 49784
Germany

Mr. Robert Link
Areva - TN Inc
2101 Horn Rapids Road
Richland, 99352
USA

Kamran Tavassoli
Licensing Manager
Areva - TN Inc
7135 Minstrel Way
Suite 300
Columbia, MD 21045

Hitoshi Inada
General Manager, Transportation & Service Department
Mitsubishi Nuclear Fuels Company
622-1
Funaishikawa
Tokai-mura
Naka-gun, Ibaraki 319-1197
Japan

Kuninori Yamane
Mitsubishi Nuclear Fuels Company
622-1
Funaishikawa
Tokai-mura
Naka-gun, Ibaraki 319-1197
Japan