



U.S. Department
of Transportation

Pipeline and
Hazardous Materials
Safety Administration

COMPETENT AUTHORITY CERTIFICATION
FOR A TYPE B(U)
RADIOACTIVE MATERIALS PACKAGE DESIGN
CERTIFICATE USA/0665/B(U)-96, REVISION 3

East Building, PHH-23
1200 New Jersey Avenue SE
Washington, D.C. 20590

REVALIDATION OF CANADIAN COMPETENT AUTHORITY
CERTIFICATE CDN/2083/B(U)-96

This certifies that the radioactive material package design described is hereby approved for use within the United States for import and export shipments only. Shipments must be made in accordance with the applicable regulations of the International Atomic Energy Agency¹ and the United States of America².

1. Package Identification - MDS Nordion Model No. F-431/GC-1000 or F-431/GC-3000.
2. Package Description and Authorized Radioactive Contents - as described in Canada Certificate of Competent Authority CDN/2083/B(U)-96, Revision 3 (attached).
3. General Conditions -
 - a. Each user of this certificate must have in his possession a copy of this certificate and all documents necessary to properly prepare the package for transportation. The user shall prepare the package for shipment in accordance with the documentation and applicable regulations.
 - b. Each user of this certificate, other than the original petitioner, shall register his identity in writing to the Office of Hazardous Materials Technology, (PHH-23), Pipeline and Hazardous Materials Safety Administration, U.S. Department of Transportation, Washington D.C. 20590-0001.
 - c. This certificate does not relieve any consignor or carrier from compliance with any requirement of the Government of any country through or into which the package is to be transported.

¹ "Regulations for the Safe Transport of Radioactive Material, 1996 Edition (Revised), No. TS-R-1 (ST-1, Revised)," published by the International Atomic Energy Agency(IAEA), Vienna, Austria.


² Title 49, Code of Federal Regulations, Parts 100-199, United States of America.

CERTIFICATE USA/0665/B(U)-96, REVISION 3

- d. Records of Quality Assurance activities required by Paragraph 310 of the IAEA regulations¹ shall be maintained and made available to the authorized officials for at least three years after the last shipment authorized by this certificate. Consignors in the United States exporting shipments under this certificate shall satisfy the applicable requirements of Subpart H of 10 CFR 71.
4. Marking and Labeling - The package shall bear the marking USA/0665/B(U)-96 in addition to other required markings and labeling.
5. Expiration Date - This certificate expires on November 30, 2012.

This certificate is issued in accordance with paragraph 808 of the IAEA Regulations and Section 173.473 of Title 49 of the Code of Federal Regulations, in response to the May 05, 2009 petition by Best Theratronics Ltd., Ottawa, Ontario, and in consideration of other information on file in this Office.

Certified By:



Robert A. Richard
Deputy Associate Administrator for Hazardous Materials Safety

May 08 2009
(DATE)

Revision 3 - Issued to revalidate Canadian Certificate of Approval No. CDN/2083/B(U)-96, Revision 3.



Canadian Certificate No. CDN/2083/B(U)-96 (Rev. 3)	Issue Date Feb-28-2008	Expiry Date Nov-30-2012	CNSC File 30-A2-246-0
--	----------------------------------	-----------------------------------	---------------------------------

Certificate for Transport Package Design

The transport package design identified below is certified by the Canadian Nuclear Safety Commission pursuant to paragraph 21(1)(h) of the *Nuclear Safety and Control Act* and Section 7 of the *Packaging and Transport of Nuclear Substances Regulations*, and to the 1996 Edition (Revised) of the *IAEA Regulations for the Safe Transport of Radioactive Material*.

REGISTRATION OF USE OF PACKAGES

All users of this authorization shall register their identity in writing with the Canadian Nuclear Safety Commission prior to the first use of this authorization and shall certify that they possess the instructions necessary for preparation of the package for shipment.

PACKAGE IDENTIFICATION

Designer: **MDS Nordion**
Make/Model: **F-431/GC-1000; F-431/GC-3000 and F-431/Gammator M38**
Mode of Transport: **Air, Sea, Road, Rail**

IDENTIFICATION MARK

The package shall bear the competent authority identification mark "**CDN/2083/B(U) - 96**".

PACKAGE DESCRIPTION

The Gammacell 1000, and the Gammacell 3000 irradiators, as shown on Drawing No. F643101-001, Sheet 1 of 2, (Issue F) and F643101-001, Sheet 2 of 2, (Issue B), consists of an upright inner cylindrical steel jacket filled with lead almost 460 mm in diameter and close to 610 mm high. These drawings are also representative of the Gammator M38 with the exception of the lifting lugs.

The Gammacells are packaged in a model F-431 overpack. They are held in position inside the F-431 cavity with shipping braces. A different brace design is used for each irradiator model.

The F-431 overpack, as described on MDS Nordion Drawing No. F643101-001, Sheet 1 of 2, (Issue F) and F643101-001, Sheet 2 of 2, (Issue B), consists of a stainless steel cylinder 1067 mm in outside diameter and 1283 mm tall. It is placed on a removable mild steel skid 1118 mm by 1003 mm by 203 mm. It has a cylindrical cavity 559 mm in diameter and 813 mm long. The empty package, including the skid, weighs 1050 kg. The main materials of construction are 304L stainless steel and rigid polyurethane foam.



Canadian Certificate No. CDN/2083/B(U)-96 (Rev. 3)	Issue Date Feb-28-2008	Expiry Date Nov-30-2012	CNSC File 30-A2-246-0
--	----------------------------------	-----------------------------------	---------------------------------

Three layers of gage 12 (2.67 mm) stainless steel shells, with two layers of polyurethane between them, protect the content. The external polyurethane foam is 150 mm thick and has a density of 128 kg/m³.

The internal layer of polyurethane foam is 25 mm thick and has a density of 640 kg/m³.

An illustration of the package model F-431/GC-1000 and F-431/GC-3000 is shown on attached Drawing No. F-431 (Issue 2).

The configuration of the package is as follows:

Shape: **Cylinder**
Mass: **2270 kg**
Length: **n/a**
Width: **n/a**

Shielding: **Lead**
Outer Casing: **Stainless Steel**
Height: **1283 mm**
Diameter: **1067 mm**

AUTHORIZED RADIOACTIVE CONTENTS

The package is authorized to contain not more than 113 TBq of Cesium 134 and Cesium 137 with the Cesium-134 not to exceed 1% of the Cesium 137 in the form of cesium chloride loose powder or compressed powder pellets contained within Isomedix ISO 1000 capsule, the MDS Nordion C-378, C-1000, C-1001, C-3000 or C-3001 stainless steel capsules, CIS bioindustries CSL-12, or the "ORNL-RAMCO-50" (Radiation Machinery Corp.) sources.

QUALITY ASSURANCE

Quality assurance for the design, manufacture, testing, documentation, use, maintenance and inspection of the package shall be in accordance with:

- MDS Nordion Document No. IN/QA 0224 Z000 (7)*, "Radioactive Material Transport Package Quality Plan"
- MDS Nordion Document No. IN/QA 0562 A000 (4)*, "Sealed Source Quality Plan"
- IAEA Regulations
- * or latest current revision

SHIPMENT

The preparation for shipment of the package shall be in accordance with:

- MDS Nordion Procedure No. IN/DS 1892 F431 (1), "Design, Operating and Maintenance for the F-431"



Canadian Certificate No. CDN/2083/B(U)-96 (Rev. 3)	Issue Date Feb-28-2008	Expiry Date Nov-30-2012	CNSC File 30-A2-246-0
--	----------------------------------	-----------------------------------	---------------------------------

Transport Package"


- Canadian Packaging and Transport of Nuclear Substances Regulations
- IAEA Regulations

This certificate does not relieve the shipper from any requirement of the government of any country through or into which the package will be transported.


A. Régimbald
Designated Officer pursuant to paragraph 37(2)(a)
of the Nuclear Safety and Control Act

Parts List

1. Overpack - Body
2. Overpack - Lid (16 Bolts, 5/8-UNC, Gr. 5, 1 Security Seal)
3. Overpack - Inner Lid (16 Bolts, 5/8-UNC, Gr. 5)
4. Gammacell Irradiator (GC1000 or GC3000)
5. Lower Internal Brace
6. Upper Internal Brace
7. Tie-Down Collar (2 pieces)
8. Lifting Hoist Rings (4 pieces)
9. Radiation warning and identification plates (2 sides)
10. Cesium-137 Sources
11. Lead Shielding
12. Shipping Skid



SIDE CROSS-SECTIONAL VIEW



Notes

1. Meets IAEA Type B(U)-96 requirements (CNSC Package Design Certificate No. CDN/2083/B(U)-96)
2. Gross weight: 2,270 kg (5,000 lb.)
3. Floor Loading (based on projected floor area 2,025 kg/m² (415 lb./ft.²))
4. Maximum Radioactive contents: 113 TBq (3,050 Ci) of Cs-137
5. Maximum Contents weight: 1,225 kg (2,700 lb.)



447 March Road, P.O. Box 13500
 Kanata, Ontario, Canada, K2K 1X8
 Tel: (613) 592-2790 Fax: (613) 592-6937

TITLE

F-431 Transport Package

REF. IN/SS 1915 F431

REVISED Mar 04

DCN A1297-D-46A

DATE April 2003

No. **F-431**

ISSUE

DRAWN CHECKED APPROVED

[Signatures]

SHEET 1 OF 1

2

THIS DRAWING IS THE PROPERTY OF MDS NORDION INC. AND IS SUBMITTED FOR CONSIDERATION ON THE UNDERSTANDING THAT THERE SHALL BE NO EXPLOITATION OF ANY INFORMATION CONTAINED HEREIN EXCEPT WITH THE SPECIFIC WRITTEN AGREEMENT OF MDS NORDION INC.



U.S. Department
of Transportation

**Pipeline and
Hazardous Materials
Safety Administration**

East Building, PHH-23
1200 New Jersey Avenue SE
Washington, D.C. 20590

CERTIFICATE NUMBER: USA/0665/B(U)-96, Revision 3

ORIGINAL REGISTRANT(S):

Blair Menna
Technical Design Authority
Best Theratronics Ltd.
Best Theratronics Ltd.
Care of MDS Nordion
447 March Road
Ottawa, K2K 1X8
Canada

Mike de van der Schueren
Director, Compliance
Best Theratronics Ltd.
Best Theratronics
413 March Road
Ottawa, K2K 0E4
Canada

Gwen McCaffrey
QA Coordinator
Best Theratronics Ltd.
Best Theratronics
413 March Road
Ottawa, K2K 0E4
Canada