U.S. Department of Transportation Pipeline and Hazardous Materials Safety Administration

East Building, PHH-23 1200 New Jersey Ave., Washington, D.C. 20590

#### COMPETENT AUTHORITY CERTIFICATION

FOR A TYPE B(U)

RADIOACTIVE MATERIALS PACKAGE DESIGN CERTIFICATE USA/6162/B(U), REVISION 19

REVALIDATION OF CANADIAN COMPETENT AUTHORITY CERTIFICATE CDN/2008/B(U)

This certifies that the radioactive material package design described is hereby approved for use within the United States for import and export shipments only. Shipments must be made in accordance with the applicable regulations of the International Atomic Energy Agency<sup>1</sup> and the United States of America<sup>2</sup>.

- Package Identification F-127 J-Rod Container, Serial Nos. 50, 52 and 54.
- Package Description and Authorized Radioactive Contents as described in Canadian Certificate of Competent Authority No. CDN/2008/B(U), Revision 15 (attached).
- 3. General Conditions
  - a. Each user of this certificate must have in his possession a copy of this certificate and all documents necessary to properly prepare the package for transportation. The user shall prepare the package for shipment in accordance with the documentation and applicable regulations.
  - b. Each user of this certificate, other than the original petitioner, shall register his identity in writing to the Office of Hazardous Materials Technology, (PHH-23), Pipeline and Hazardous Materials Safety Administration, U.S. Department of Transportation, Washington D.C. 20590-0001.
  - c. This certificate does not relieve any consignor or carrier from compliance with any requirement of the Government of any country through or into which the package is to be transported.
- Marking and Labeling The package shall bear the marking USA/6162/B(U) in addition to other required markings and labeling.
- 5. Expiration Date This certificate expires on November 30, 2016.

<sup>&</sup>lt;sup>1</sup> "Regulations for the Safe Transport of Radioactive Materials, 1996 Edition (Revised), No. TS-R-1 (ST-1, Revised)", published by the International Atomic Energy Agency (IAEA), Vienna, Austria.

<sup>&</sup>lt;sup>2</sup> Title 49, Code of Federal Regulations, Parts 100 - 199, United States of America.

#### CERTIFICATE USA/6162/B(U), REVISION 19

This certificate is issued in accordance with paragraph 808 and 816 of the IAEA Regulations and Section 173.473 of Title 49 of the Code of Federal Regulations, in response to the November 14, 2012 petition by Best Theratronics, Ottawa, Ontario, Canada and in consideration of other information on file in this Office.

Certified by:

Dr. Magdy El Sibaie

Associate Administrator for Hazardous Materials Safety

DEC 0 5 2012

(DATE)

Revision 19 - Issued to endorse Canadian Certificate of Approval No.  $\mbox{CDN}/2008/\mbox{B(U)}$  , Revision 15.



Canadian Certificate No.	Issue Date	Expiry Date	CNSC File
CDN/2008/B(U) (Rev. 15)	Nov-08-2012	Nov-30-2016	30-A2-99-0

# Certificate Transport Package Design

The transport package design identified below is certified by the Canadian Nuclear Safety Commission pursuant to paragraph 21(1)(h) of the Nuclear Safety and Control Act and Section 7 of the Packaging and Transport of Nuclear Substances Regulations, and to the 1973 Revised Edition (as amended) of the IAEA Regulations for the Safe Transport of Radioactive Material.

#### REGISTRATION OF USE OF PACKAGES

All users of this authorization shall register their identity in writing with the Canadian Nuclear Safety Commission prior to the first use of this authorization and shall certify that they possess the instructions necessary for preparation of the package for shipment.

#### PACKAGE IDENTIFICATION

Designer:

Nordion (Canada) Inc.

Make/Model:

F-127 J-Rod Shipping Container, Serial Nos. 50, 52 and 54

Mode of Transport: Air, Sea, Road, Rail

#### IDENTIFICATION MARK


The package shall bear the competent authority identification mark "CDN/2008/B(U)".

#### PACKAGE DESCRIPTION

The F-127 J-Rod Shipping Container, as shown on MDS Nordion Drawing No. A06024, (Rev. Z), consists of a 254 mm thick lead-shielded, steel-encased body located within a circumferential steel-plated flameshield and a thermally-insulated top and bottom, all supported by a structural steel skid. The drain lines for both the plug and body are either permanently blocked or blocked with removable cable assemblies. The containment system consists of either the authorized capsules or the F-407 insert and the steel-encased, lead-shielded container.

An illustration of the package is shown on attached Drawing No. F-127, (Rev. 24).

Any modification to the package design must be submitted to the CNSC for approval prior to implementation.



Canadian Certificate No.	Issue Date	Expiry Date	CNSC File
CDN/2008/B(U) (Rev. 15)	Nov-08-2012	Nov-30-2016	30-A2-99-0

The configuration of the package is as follows:

Shape: Cylindrical

Mass: 3447 kg

Length: 800 mm

Width: 1016 mm

Shielding:

Lead

Outer Casing: Steel

Height:

1242 mm

Diameter:

n/a

### AUTHORIZED RADIOACTIVE CONTENTS

This package is authorized to contain not more than 2,200 TBq (60,000 Ci) of Cobalt 60 in the form of metal pellets or nickel-plated slugs in the following MDS Nordion capsules:

C-132, C-133, C-140, C-146, C-151, C-164, C-174A, C-174B, C-177, C-185, AC-191, AC-195, C-196, C-198, C-199, C-200, C-205, C-215, C-230, TC-239, C-252, XC-310, XC-318, XC-325, XC-330, AC-339; or

not more than 185 TBq (5000 Ci) of Carbon 14 in the form of activated aluminum nitride pellets contained within an aluminum capsule and further contained within a sealed F-407 insert.

#### QUALITY ASSURANCE

Quality assurance for the use, maintenance and inspection of the package shall be in accordance with:

- Best Theratronics Document No. 5.05-QA-01 (2)\*, "Radioactive Material Transport Package Quality Plan"
- Packaging and Transport of Nuclear Substances Regulations
- IAEA Regulations
- \* or latest current revision

#### **SHIPMENT**

The preparation for shipment of the package shall be in accordance with:

MDS Nordion Procedure No. IN/PP 0072 F127, (Rev. 17), Preparation for Shipment of the F-127 and



Canadian Certificate No.	Issue Date	Expiry Date	CNSC File
CDN/2008/B(U) (Rev. 15)	Nov-08-2012	Nov-30-2016	30-A2-99-0

F-127-X Transport Packagings

- Packaging and Transport of Nuclear Substances Regulations
- IAEA Regulations

Air transport is restricted to a maximum of 960 TBq of Cobalt 60 to meet the temperature requirement of Paragraph 617 of the IAEA Regulations.

This certificate does not relieve the consignor from compliance with any requirement of the government of any

country through or into which the package will be transported

Designated Officer pursuant to paragraph 37(2)(a)

of the Nuclear Safety and Control Act



## **NOTES**


Revision 15: November 8, 2012. Certificate renewed.

**Canadä** 

#### **Parts List**

- 1. Shield Cap with Neoprene Gasket

- 1. Shelid Cap will recipied Science 2. ½ 13 UNC x ½ in. Ig Hex Bolt (1) 3. ½ 13 UNC x 1 ½ in. Ig Hex Bolt (4) 4. ½ 13 UNC x 11/16 in. Ig Socket HD (4) to Retain Fireshield 5. Radiation Caution Plate (2)
- 6. Identification Plate (2)
- 7. Removable Fireshield
- 8. Removable Skid
- 9. Skid Bolts: 1 8 UNC x 3 in. lg Hex HD (8)
- 10. Neoprene Gasket for Plug Assembly
  11. Stainless Steel Plug Bolts: ¾ 10 UNC x 1 ½ in. lg Hex HD (9)
- 12. Wire Seal
- 13. Stainless Steel Pipe Plug
- 14. Plug Lift Lug
- 15. Vent Tube
- 16. Plug Assembly
- 17. Removable Insert
- 18. Spacer Plates (2) Type I Removable 19. Spacer Plates (1) Type II Removable
- Cavity without 3 Spacer Plates 163 mm Dia x 348 mm (6.4 x 13.7 in.)
   With 3 Spacer Plates 163 mm Dia x 320 mm (6.4 x 12.6 in.)
- 21, Drain Tube
- 22. Lead Shielding
- 23. Vermiculite
- 24. Transite: 25 mm (1 in.) thick
  25. Cap Brackets (4): ½ 13 UNC x 1 ½ in. Bolts and Nuts
  26. Fireshield Brackets (4): 1 8 UNC x 2 ½ in. Bolts and Nuts
- 27. Warning Plate
- 28. Ventline Safety Cable Assembly 29. Stainless Steel Wire Brush
- 30. Storage Plaque (Heat Emitter) (2)
- 31. Fireshield Brackets (2): 1/4 10 UNC x 2 1/2 in. Bolts and Nuts
- 32. Category Label (2): on opposite sides of container
- 33. UN Number Labels (2): one next to each of the two radioactive category labels



#### Notes

30

203 mm (8.0 in.)

- 1. CNSC Certificate CDN/2008/B(U)
- 2. Meets IAEA Type B(U) Requirements
- 3. Steel Encased Lead Shielding: 254 mm (10 in.)
- With F-211 insert: 285 mm (11.2 in.)
- Gross Weight: 3,447 kg (7,600 lb.)
   Plug Weight: 147 kg (325 lb.)
   Projected Floor Loading: 4,247 kg/m² (870 lb./ft.²)
- 6. Inserts Available:
  - F-128: Bucket
  - F-180: Cage for 64 Sealed Sources
  - F-216: Carrier for 8 Bulk Capsules
  - F-407: Leakproof Insert for C-14
  - F-415: Bucket
- 7. Authorized contents: 1) 2,220 TBq (60,000 Ci) cobalt-60 2) 185 TBq (5,000 CI) carbon-14
- 8. For F-127 Serial Numbers 50, 52 and 54, items 13, 28 and 29 of parts list must be installed.

(40.0 ln.)



447 March Road, P.O. Box 13500 Kanata, Ontario, Canada, K2K 1X8 Tel: (613) 592-2790 · Fax. (613) 592-6937

THIS DRAWING IS THE PROPERTY OF MOS NORDION INC. AND IS SUBMITTED FOR CONSIDERATION ON THE UNDERSTANDING THAT THERE SHALL BE NO EXPLOITATION OF ANY INFORMATION CONTAINED HEREIN EXCEPT WITH THE SPECIFIC WRITTEN AGREEMENT OF MOS NORDION INC.

TITLE

## F-127 Transport Packaging

REF. IN/SS 1938 F127 F101102-A08024 REVISED May 04 DCN A1944-D-51B ISSUE August 1967 F-127 CHECKED APPROVED 24 MK SHEET 1 OF



# U.S. Department of Transportation

East Building, PHH-23 1200 New Jersey Avenue SE Washington, D.C. 20590

Pipeline and Hazardous Materials Safety Administration

CERTIFICATE NUMBER: USA/6162/B(U)-85, Revision 19

### **ORIGINAL REGISTRANT(S):**

Dr. Richard Wassenaar, PhD Radiation Safety Officer Best Theratronics Ltd. Best Theratronics Ltd. 413 March Road Ottawa, K2K 0E4 Canada

Gwen McCaffrey QA Coordinator Best Theratronics Ltd. Best Theratronics 413 March Road Ottawa, K2K 0E4 Canada