



U.S. Department  
of Transportation  
  
Pipeline and  
Hazardous Materials  
Safety Administration

COMPETENT AUTHORITY CERTIFICATION  
FOR A TYPE FISSILE  
  
RADIOACTIVE MATERIALS PACKAGE DESIGN  
CERTIFICATE USA/9239/AF, REVISION 19

East Building, PHH-23  
1200 New Jersey Avenue Southeast  
Washington, D.C. 20590

This certifies that the radioactive material package design described has been certified by the Competent Authority of the United States as meeting the regulatory requirements for a Type AF packaging for fissile radioactive material as prescribed in the regulations of the International Atomic Energy Agency<sup>1</sup> and the United States of America<sup>2</sup>.

1. Package Identification - MCC-3, MCC-4 and MCC-5.
2. Package Description and Authorized Radioactive Contents - as described in U.S. Nuclear Regulatory Commission Certificate of Compliance No. 9239, Revision 19 (attached).
3. Criticality - The minimum criticality safety index is 0.4. The maximum number of packages per conveyance is determined in accordance with Table X of the IAEA regulations cited in this certificate.
4. General Conditions -
  - a. Each user of this certificate must have in his possession a copy of this certificate and all documents necessary to properly prepare the package for transportation. The user shall prepare the package for shipment in accordance with the documentation and applicable regulations.
  - b. Each user of this certificate, other than the original petitioner, shall register his identity in writing to the Division of Engineering and Research, (PHH-20), Pipeline and Hazardous Materials Safety Administration, U.S. Department of Transportation, Washington D.C. 20590-0001.
  - c. This certificate does not relieve any consignor or carrier from compliance with any requirement of the Government of any country through or into which the package is to be transported.

---

<sup>1</sup> "Regulations for the Safe Transport of Radioactive Materials, 2012 Edition, No. SSR-6", published by the International Atomic Energy Agency (IAEA), Vienna, Austria.


<sup>2</sup> Title 49, Code of Federal Regulations, Parts 100-199, United States of America.

CERTIFICATE USA/9239/AF, REVISION 19

5. Marking and Labeling - The package shall bear the marking USA/9239/AF in addition to other required markings and labeling.
6. Expiration Date - This certificate expires on March 31, 2022. Revision 18 of this certificate may be used until March 31, 2017.

This certificate is issued in accordance with paragraphs 816 and 820 of the IAEA Regulations and Section 173.471 and 173.472 of Title 49 of the Code of Federal Regulations, in response to the October 19, 2016 petition by Westinghouse Electric Company LLC, Hopkins, SC, and in consideration of other information on file in this Office.

Certified By:

  
\_\_\_\_\_  
William Schoonover  
Acting Associate Administrator for Hazardous Materials Safety

OCT 26 2016

\_\_\_\_\_  
(DATE)

Revision 19 - Issued to endorse U.S. Nuclear Regulatory Commission Certificate of Compliance No. 9239, Revision 19.

## CERTIFICATE OF COMPLIANCE FOR RADIOACTIVE MATERIAL PACKAGES

a. CERTIFICATE NUMBER	b. REVISION NUMBER	c. DOCKET NUMBER	d. PACKAGE IDENTIFICATION NUMBER	PAGE	PAGES
9239	19	71-9239	USA/9239/AF	1	OF 5

### 2. PREAMBLE

- a. This certificate is issued to certify that the package (packaging and contents) described in Item 5 below meets the applicable safety standards set forth in Title 10, Code of Federal Regulations, Part 71, "Packaging and Transportation of Radioactive Material."
- b. This certificate does not relieve the consignor from compliance with any requirement of the regulations of the U.S. Department of Transportation or other applicable regulatory agencies, including the government of any country through or into which the package will be transported.

### 3. THIS CERTIFICATE IS ISSUED ON THE BASIS OF A SAFETY ANALYSIS REPORT OF THE PACKAGE DESIGN OR APPLICATION

- |  |   |
|--|---|
| <p>a. ISSUED TO (<i>Name and Address</i>)</p> <p>Westinghouse Electric Company, LLC<br/>Columbia Fuel Fabrication Facility<br/>5801 Bluff Road<br/>Hopkins, SC 29061</p> | <p>b. TITLE AND IDENTIFICATION OF REPORT OR APPLICATION</p> <p>Westinghouse Electric Company, LLC, application,<br/>Revision No. 13, dated October 28, 2011, as<br/>supplemented.</p> |
|--|---|

### CONDITIONS

This certificate is conditional upon fulfilling the requirements of 10 CFR Part 71, as applicable, and the conditions specified below.

5.

#### (a) Packaging

- (1) Model Nos.: MCC-3, MCC-4, and MCC-5
- (2) Description

The MCC packages are shipping containers for unirradiated uranium oxide fuel assemblies. The packagings consist of a steel fuel element cradle assembly equipped with a strongback and an adjustable fuel element clamping assembly. The cradle assembly is shock mounted to a 13-gauge carbon steel outer container by shear mounts. The MCC-3 container is closed with thirty ½-inch T-bolts. The MCC-4 and MCC-5 containers are closed with fifty ½-inch T-bolts.

The MCC-3 and MCC-4 containers are permanently equipped with vertical Gd<sub>2</sub>O<sub>3</sub> neutron absorber plates that are mounted on the center wall of the strongback. Additional horizontal Gd<sub>2</sub>O<sub>3</sub> neutron absorber plates, mounted on the underside of the strongback, are required for the contents as specified.

The MCC-5 container is permanently equipped with both the vertical and horizontal Gd<sub>2</sub>O<sub>3</sub> neutron absorber plates. Additional vee-shaped, guided Gd<sub>2</sub>O<sub>3</sub> neutron absorber plates are required for the contents as specified.

Approximate dimensions of the MCC-3 packaging are 44½ inches O.D. by 194½ inches long. The gross weight of the packaging and contents is 7,544 pounds. The maximum weight of the contents is 3,300 pounds.



**CERTIFICATE OF COMPLIANCE  
FOR RADIOACTIVE MATERIAL PACKAGES**

1.	a. CERTIFICATE NUMBER	b. REVISION NUMBER	c. DOCKET NUMBER	d. PACKAGE IDENTIFICATION NUMBER	PAGE	PAGES
	9239	19	71-9239	USA/9239/AF	2 OF	5

5. (a) (2) Packaging (continued)

Approximate dimensions of the MCC-4 packaging are 44½ inches O.D. by 226 inches long. The gross weight of the packaging and contents is 10,533 pounds. The maximum weight of the contents is 3,870 pounds.

Approximate dimensions of the MCC-5 packaging are 44½ inches O.D. by 226 inches long. The gross weight of the packaging and contents is 10,533 pounds. The maximum weight of the contents is 3,700 pounds.

(3) Drawings

The MCC-3 packaging is constructed in accordance with Westinghouse Electric Corporation Drawing No. MCCL301, Sheets 1, 2, 3, and 4, Rev. 6.

The MCC-4 packaging is constructed in accordance with Westinghouse Electric Corporation Drawing No. MCCL401, Sheets 1, 2, 3, 4, and 5, Rev. 9.

The MCC-5 packaging is constructed in accordance with Westinghouse Electric Corporation Drawing No. MCCL501, Sheets 1 through 10, Rev. 6.

(b) Contents

(1) Type and form of material

Unirradiated PWR uranium dioxide fuel assemblies with a maximum uranium-235 enrichment of 5.0 weight percent with the following exceptions: 15x15 BW fuel assemblies have a maximum enrichment of 4.65 wt%, and VVER-1000 fuel assemblies have a maximum enrichment of 4.80 wt%.

**CERTIFICATE OF COMPLIANCE  
FOR RADIOACTIVE MATERIAL PACKAGES**

1. a. CERTIFICATE NUMBER	b. REVISION NUMBER	c. DOCKET NUMBER	d. PACKAGE IDENTIFICATION NUMBER	PAGE	PAGES
9239	19	71-9239	USA/9239/AF	3 OF	5

5. (b) (1) Contents (continued)

The fuel assemblies shall meet the specifications given in Westinghouse Drawing No. 6481E15, Rev. 6, and in the following tables of Appendix 1-5 of the application:

Table 1-5.1, Rev. 13	Fuel Assembly Parameters 14x14 Type Fuel Assemblies <sup>†</sup>
Table 1-5.2, Rev. 13	Fuel Assembly Parameters 15x15 Type Fuel Assemblies <sup>‡</sup>
Table 1-5.3, Rev. 13	Fuel Assembly Parameters 16x16 Type Fuel Assemblies <sup>**</sup>
Table 1-5.4, Rev. 13	Fuel Assembly Parameters 17x17 Type Fuel Assemblies <sup>**</sup>
Table 1-5.5, Rev. 13	Fuel Assembly Parameters VVER-1000 Type Fuel Assembly <sup>***</sup>

\*\* 16x16 CE fuel assemblies and the 17x17 W-STD/XL fuel assemblies shall be shipped only in the Model No. MCC-4 package.

\*\*\* VVER-1000 fuel assemblies shall be shipped only in the Model No. MCC-5 package.

<sup>†</sup> 14x14 Type fuel assemblies' annular pellet zone length is not restricted and may exceed 6-inches.

<sup>‡</sup> 15x15 (Type B) OFA fuel assemblies may be modified by replacing seven fuel rods in locations O10 through O15 and N15 with solid stainless steel.

(2) Maximum quantity of material per package

Two (2) fuel assemblies

(c) Criticality Safety Index 0.4

6. (a) For shipments of 14x14, 15x15, 16x16, and 17x17 OFA fuel assemblies with U-235 enrichments of over 4.65 wt% and up to 5.0 wt%, horizontal Gd<sub>2</sub>O<sub>3</sub> neutron absorber plates shall be positioned underneath each assembly. The horizontal absorber plates shall be placed horizontally on the underside of the strongback, as specified in the respective drawings in Condition 5(a)(3) for the MCC-3 and MCC-4 models.



**CERTIFICATE OF COMPLIANCE  
FOR RADIOACTIVE MATERIAL PACKAGES**

1.	a. CERTIFICATE NUMBER	b. REVISION NUMBER	c. DOCKET NUMBER	d. PACKAGE IDENTIFICATION NUMBER	PAGE	PAGES
	9239	19	71-9239	USA/9239/AF	4 OF	5

6. (b) For shipments of 17x17 STANDARD lattice fuel assemblies (17x17 STD and 17x17 XL) with U-235 enrichments of over 4.85 wt% and up to 5.0 wt%, horizontal Gd<sub>2</sub>O<sub>3</sub> neutron absorber plates shall be positioned underneath each assembly. The horizontal absorber plates shall be placed horizontally on the underside of the strongback, as specified in the respective drawings in Condition 5(a)(3) for the MCC-3 and MCC-4 models.
7. Shipments of VVER-1000 fuel assemblies are authorized with U-235 enrichments up to 4.80 wt%.
8. Each fuel assembly must be unsheathed or must be enclosed in an unsealed plastic sheath which may not extend beyond the ends of the fuel assembly. The ends of the sheath may not be folded or taped in any manner that would prevent flow of liquids into or out of the sheathed fuel assembly.
9. The dimensions, minimum Gd<sub>2</sub>O<sub>3</sub> loading and coating specifications, and acceptance testing of the neutron absorber plates shall be in accordance with the "Gd<sub>2</sub>O<sub>3</sub> Neutron Absorber Plates Specifications," Appendix 1-7, Rev. 12, of the application, as supplemented. The minimum Gd<sub>2</sub>O<sub>3</sub> coating areal density on the vertical and horizontal neutron absorber plates shall be 0.054 g-Gd<sub>2</sub>O<sub>3</sub>/cm<sup>2</sup>. The minimum Gd<sub>2</sub>O<sub>3</sub> coating areal density on guided neutron absorber plates shall be 0.027 g-Gd<sub>2</sub>O<sub>3</sub>/cm<sup>2</sup>.
10. In addition to the requirements of Subpart G of 10 CFR Part 71:
  - (a) Each package shall be prepared for shipment and operated in accordance with the "Routine Shipping Container Utilization Summary Operating Procedures," in Chapter 7 of the application; and
  - (b) Each package shall be tested and maintained in accordance with the "Acceptance Tests, Maintenance Program, and Recertification Program," in Chapter 8 of the application, and as specified in the respective drawings in Condition 5(a)(3) for the MCC-3, MCC-4, and MCC-5 models.
11. Transport by air of fissile material is not authorized.
12. Fabrication of new packagings is not authorized.
13. The package authorized by this certificate is hereby approved for use under the general license provisions of 10 CFR 71.17.
14. Revision No. 18 of this certificate may be used until March 31, 2017.
15. Expiration date: March 31, 2022.

**CERTIFICATE OF COMPLIANCE  
FOR RADIOACTIVE MATERIAL PACKAGES**


1.	a. CERTIFICATE NUMBER	b. REVISION NUMBER	c. DOCKET NUMBER	d. PACKAGE IDENTIFICATION NUMBER	PAGE	PAGES
	9239	19	71-9239	USA/9239/AF	5 OF	5

REFERENCES

Westinghouse Electric Company, LLC, "Application For Approval of Packaging Of Fissile Radioactive Material (MCC Shipping Containers)", Revision No. 13, dated October 2011.

Supplement dated March 28, 2013, Revision No. 14, and August 9, 2016.

FOR THE U.S. NUCLEAR REGULATORY COMMISSION

  
John McKirgan, Chief  
Spent Fuel Licensing Branch  
Division of Spent Fuel Management  
Office of Nuclear Material Safety  
and Safeguards

Date: October 7, 2016





U.S. Department  
of Transportation

East Building, PHH-23  
1200 New Jersey Avenue SE  
Washington, D.C. 20590

**Pipeline and  
Hazardous Materials  
Safety Administration**

**CERTIFICATE NUMBER:** USA/9239/AF-85, Revision 19

**ORIGINAL REGISTRANT(S):**

Wes Stilwell  
Nuclear Fuel Transport Director  
Westinghouse  
Westinghouse Electric Company - Nuclear Fuel  
Columbia Fuel Fabrication Facility  
5801 Bluff Road  
Hopkins, SC 29061

Tanya Sloma  
Licensing, Compliance and Package Technology  
Westinghouse  
Westinghouse Electric Company - Nuclear Fuel  
Columbia Fuel Fabrication Facility  
5801 Bluff Road  
Hopkins, SC 29061

**REGISTERED USER(S):**

Ms. Franchone Oshinowo  
Vice President of Operations  
Edlow International Company  
1666 Connecticut Ave, N.W.  
Suite 201  
Washington, 20009  
USA

George Eckel  
President  
RSB Logistic, Inc.  
219 Cardinal Crescent  
Saskatoon, Saskatoon S7L 7K8  
CANADA



Mr. D. Steinigeweg  
Licensing Manager  
ANF  
Framatome ANP  
Advance Nuclear Fuels  
Industriepark Sued  
D-49811 Lingen, Germany  
GERMANY

Ms. Wendy Lichtenberg  
Transport Logistics International  
DAHER - TLI  
8161 Maple Lawn Blvd.  
Suite 450  
Fulton, 20759  
USA

Mr. Jim Davis  
Areva - TN Inc  
2101 Horn Rapids Road  
Richland, WA 99352

Ms. Marilena Conde  
Vice President, Marketing and Administration  
Edlow International Company  
1666 Connecticut Ave, N.W  
Suite 201  
Washington, 20009  
USA

Ralf Witten  
Areva - TN Inc  
Abteilung ANF-LP  
Advanced Nuclear Fuels GmbH  
Postfach 1485  
Lingen, Niedersachsen 49784  
Germany

Mr. Robert Link  
Areva - TN Inc  
2101 Horn Rapids Road  
Richland, 99352  
USA

Glenn Mathues  
Licensing Engineer (Transportation)  
Areva - TN Inc  
7135 Minstrel Way  
Suite 300  
Columbia, MD 21045

Mike Valenzano  
Director of Transport Operations  
Areva - TN Inc  
7135 Minstrel Way  
Suite 300  
Columbia, MD 21045

Nicolas Guibert  
Project Manager – Front End  
Areva - TN Inc  
7135 Minstrel Way  
Suite 300  
Columbia, MD 21045

Mr. Dale Rogers  
Director Cylinder Operations  
Transport Logistics International  
DAHER-TLI UCSC  
7017 Paducah Road  
Kevil, KY 42053

Phillip Abstoß  
Operations Manager  
RSB Logistic, Inc.  
RSB LOGISTIC Projektspedition GmbH  
Robert-Perthel-Str. 71-73  
50739 Köln (Cologne), ZZ  
GERMANY