



COMPETENT AUTHORITY CERTIFICATION  
FOR A FISSILE  
RADIOACTIVE MATERIALS PACKAGE DESIGN  
CERTIFICATE USA/0411/AF-96, REVISION 12

The Competent Authority of the United States certifies that the radioactive material package design described in this certificate satisfies the regulatory requirements for a Type AF package as prescribed in the regulations of the International Atomic Energy Agency<sup>1</sup> and the United States of America<sup>2</sup>. The package design is approved for use within the United States for import and export shipments made in accordance with applicable international and domestic transport regulations.

1. Package Identification - Cylinder Model 30B.
2. Package Description - The packagings authorized by this certificate are bare metal cylinders (no outer protective packing required) which are designed, fabricated, inspected and marked in accordance with American National Standards Institute (ANSI) N14.1 standard in effect at the time of manufacture.
3. Authorized Radioactive Contents - The cylinders authorized by this certificate may contain fissile, fissile-excepted, and non-fissile quantities of residual (heels) uranium hexafluoride as described and limited by Table 1. Minimum criticality safety index for cylinders containing fissile quantities is 0.0. A criticality safety index is not required for cylinders containing fissile excepted or non-fissile quantities.

TABLE 1 - Allowable Content of Uranium Hexafluoride (UF<sub>6</sub>) "Heels" in an ANSI N14.1 Cylinder

Maximum cylinder diameter		Cylinder Volume		Maximum Uranium-235 enrichment (weight percent)	Maximum "heel" weight per cylinder			
Inches	Centi-meters	Cubic Feet	Liters		UF <sub>6</sub>		Uranium-235	
					kg	lb	kg	lb
30	76.0	25.64	725	5	11.3	25	0.383	0.84

4. General Conditions -
  - a. Each user of this certificate must have in his possession a copy of this certificate and all documents necessary to properly prepare the package for transportation. The user shall prepare the package for shipment in accordance with United States Enrichment Corporation Report USEC-651 and applicable regulations.
  - b. Each user of this certificate, other than the original petitioner, shall register his identity in writing to the Office

1 "Regulations for the Safe Transport of Radioactive Material, 2012 Edition, No. SSR-6" published by the International Atomic Energy Agency (IAEA), Vienna, Austria.

2 Title 49, Code of Federal Regulations, Parts 100-199, United States of America.

**CERTIFICATE USA/0411/AF-96, REVISION 12**

of Hazardous Materials Safety, (PHH-20), Pipeline and Hazardous Materials Safety Administration, U.S. Department of Transportation, Washington D.C. 20590-0001.

- c. This certificate does not relieve any consignor or carrier from compliance with any requirement of the Government of any country through or into which the package is to be transported.
  - d. Records of Management System activities required by Paragraph 306 of the IAEA regulations<sup>1</sup> shall be maintained and made available to the authorized officials for at least three years after the last shipment authorized by this certificate. Consignors in the United States exporting shipments under this certificate shall satisfy the applicable requirements of Subpart H of 10 CFR 71.
  - e. Each user of this certificate must periodically inspect, test, mark, repair, and modify cylinders in accordance with the ANSI N14.1 standard in effect at the time of the action.
5. Marking and Labeling - The package shall bear the marking USA/0411/AF-96 in addition to other required markings and labeling.
6. Expiration Date - This certificate expires on July 31, 2025. On May 31, 2021, this certificate supersedes all previous revisions of USA/0411/AF.

This certificate is issued in accordance with paragraph 816 of the IAEA Regulations and Section 173.472 of Title 49 of the Code of Federal Regulations, in response to a May 18, 2020 petition submitted by United States Enrichment Corporation, Piketon, OH, and in consideration of other information on file in this Office.

Certified by:


\_\_\_\_\_  
William Schoonover  
Associate Administrator for Hazardous  
Materials Safety

\_\_\_\_\_  
(DATE)

Revision 12 - Issued to extend the expiration date, to upgrade to a -96 certificate, and to allow transport of fissile-excepted and non-fissile heels as well as fissile heels.

## UF<sub>6</sub> Cylinder Model 30B

Nominal Diameter.....	30 in. (76 cm)
Nominal Length.....	81 in. (206 cm)
Wall Thickness.....	1/2 in. (1.25 cm)
Nominal Tare Weight.....	1,400 lb (635 kg)
Maximum Net Weight.....	5,020 lb (2,277 kg)
Nominal Gross Weight.....	6,420 lb (2,912 kg)
Minimum Volume.....	26 ft <sup>3</sup> (736 liters)
Basic Material of Construction.....	Steel (ASTM A-516)
Service Pressure.....	200 psig (1380 kPa gage)
Hydrostatic Test Pressure.....	400 psig (2760 kPa gage)
Isotopic Content Limit.....	5.0% <sup>235</sup> U (max. with moderation control)




**Cylinder Model 30B**

Valve Used - Type 51 - 1-inch valve.

*Note: Primarily used for low enriched UF<sub>6</sub> product.*

*Note: The 30B cylinder replaces the 30A cylinder which was similar in dimensions. The 30A has a concave shell with a Maximum Net Weight of 4950 pounds.*



**Schematic of Cylinder Model 30B**



U.S. Department of  
Transportation

**Pipeline and  
Hazardous Materials  
Safety Administration**

East Building, PHH-23  
1200 New Jersey Ave, SE  
Washington, D.C. 20590

**CERTIFICATE NUMBER:** USA/0411/AF-96

**ORIGINAL REGISTRANT(S) :**

Edlow International Company  
1666 Connecticut Ave, N.W  
Suite 201  
Washington, DC, 20009  
USA

Global Nuclear Fuels - Americas  
3901 Castle Hayne Road  
Mail Code K-84  
Wilmington, NC, 28401  
USA

Department of Energy  
U.S. Department of Energy  
1000 Independence Ave, SW  
EM-60  
Washington, DC, 20585  
USA

United States Enrichment Corporation  
P.O. Box 628  
U.S. Route 23 South  
Piketon, OH, 45661  
USA

Transport Logistics International (DAHER - TLI)  
8161 Maple Lawn Boulevard  
Suite 480  
Fulton, MD, 20759  
USA

Urenco  
Bahnhofstrasse 8  
Bad Bentheim, Bad Bentheim, 48455  
GERMANY

RSB Logistic, Inc.  
219 Cardinal Crescent  
Saskatoon, Saskatoon, S7L 7K8  
CANADA

ANF  
Framatome ANP  
Advance Nuclear Fuels  
Industriepark Sued  
D-49811 Lingen, Germany,  
GERMANY

Korea Hydro & Nuclear Power Company  
167 Samseong-Dong  
Gangnam-Gu  
Seoul 135-791, XX,  
KOREA

Kepco Nuclear Fuel Company  
493 Deokjin-dong  
Yuseong-Gu  
Deajeon 305-353, XX,  
KOREA

Cameco  
205 Peter Street  
Port Hope, Ontario, L1A 3V6  
CANADA

Westinghouse  
Westinghouse Electric Company - Nuclear Fuel  
Columbia Fuel Fabrication Facility  
5801 Bluff Road  
Hopkins, SC, 29061  
USA

Areva - TN International  
Site du Tricastin  
BP16  
F-26701 Pierrelatte Cedex  
Tricastin, Drôme and Vaucluse,  
FRANCE

Louisiana Energy Services, Urenco USA  
UUSA  
P.O. Box 1789  
Eunice, NM, 88231  
USA

National Security Technologies

P.O. Box 677  
MS NNSS223  
Mercury, NV, 89023  
USA

TAM International LP  
819 Broadway Street  
Paducah, KY, 42001  
USA

Centrus Energy  
United States Enrichment Corporation  
P.O. Box 628  
Piketon, OH, 45661  
USA

TN Americas LLC  
7135 Minstrel Way, Suite 300  
Columbia, MD, 21045  
USA

Framatome  
2101 Horn Rapids Road  
Richland, WA, 99354  
USA

RSB International  
RSB INTERNATIONAL Freight Forwarding Inc.  
1000 Rue De La Gauchetière O  
Suite 900  
Montréal, Quebec, QC H3B 5H4  
Canada