



U.S. Department  
of Transportation

Pipeline and  
Hazardous Materials  
Safety Administration

East Building, PHH-23  
1200 New Jersey Ave, SE  
Washington, D.C. 20590

**IAEA CERTIFICATE OF COMPETENT AUTHORITY  
SPECIAL FORM RADIOACTIVE MATERIALS**

**CERTIFICATE USA/0719/S-96, REVISION 4**

This certifies that the source described has been demonstrated to meet the regulatory requirements for special form radioactive material as prescribed in the regulations of the International Atomic Energy Agency<sup>1</sup> and the United States of America<sup>2</sup> for the transport of radioactive material.

1. Source Identification - QSA Global, Inc. Model X131/4 (Manufactured on or after February 14, 1978).
2. Source Description - Cylindrical single encapsulation made of Monel with a beryllium window that is tungsten inert gas or laser seal welded on one end and seal brazed on the other end. Approximate outer dimensions are 10.9 mm (0.43 in.) in diameter and 5.2 mm (0.2 in.) in length. Minimum wall thickness is 0.95 mm (0.004 in.). Construction shall be in accordance with attached AEA Technology QSA, Inc. Drawing No. RBA61927, Rev. A.
3. Radioactive Contents - No more than 11.1 GBq (300.0 mCi) of either Americium-241, Curium-244 or Plutonium-238. The Am-241 and Cm-244 are in the form of an oxide incorporated into a ceramic enamel. The Pu-238 is in the form of an oxide or an oxide incorporated into a ceramic enamel.
4. Management System Activities - Records of Management System activities required by Paragraph 306 of the IAEA regulations shall be maintained and made available to the authorized officials for at least three years after the last shipment authorized by this certificate. Consignors in the United States exporting shipments under this certificate shall satisfy the requirements of Subpart H of 10 CFR 71.

---

<sup>1</sup> "Regulations for the Safe Transport of Radioactive Material, 2012 Edition, No. SSR-6" published by the International Atomic Energy Agency (IAEA), Vienna, Austria.

<sup>2</sup> Title 49, Code of Federal Regulations, Parts 100-199, United States of America.

**CERTIFICATE USA/0719/S-96, REVISION 4**


5. Expiration Date - This certificate expires on March 31, 2025.  
Revision 2 may continue to be used until June 30, 2020.

This certificate is issued in accordance with paragraph(s) 804 of the IAEA Regulations and Section 173.476 of Title 49 of the Code of Federal Regulations, in response to the March 2, 2020 petition by QSA Global, Inc., Burlington, MA, and in consideration of other information on file in this Office.

Certified By:




March 20, 2020  
(DATE)

 William Schoonover  
Associate Administrator for Hazardous  
Materials Safety

Revision 4 - Issued to extend the expiration date and correct  
Revision 3.

Item No.	Description	No. Off
1	BODY	1
2	MONEL	1
3	LID	1
4	INSERT	1
5	STAIN. STL.	1
6	WINDOW	1
	BERYLLIUM	1
	TUNGSTEN	1
	ACTIVE MATERIAL	A/R



DESCRIPTIVE  
DRAWING

APPROVALS	
<i>[Signature]</i>	3/26/07
<i>[Signature]</i>	3/26/07

DIMENSIONS IN MILLIMETERS  
UNLESS OTHERWISE STATED TOLERANCES:

X ±0.5  
X.X ±0.1  
X.XX ±0.05  
ANGULAR ±5°

INTERNAL   $\nabla$   
EXTERNAL   $\nabla$

TITLE X131/4 CAPSULE ASSEMBLY

SIZE DWG. NO. RBA61927

REV A

SCALE: NONE

SHEET 1 OF 1

ERF # 1178



U.S. Department of  
Transportation

**Pipeline and  
Hazardous Materials  
Safety Administration**

East Building, PHH-23  
1200 New Jersey Ave, SE  
Washington, D.C. 20590

**CERTIFICATE NUMBER:** USA/0719/S-96

**ORIGINAL REGISTRANT(S) :**

QSA Global, Inc.  
30 North Avenue  
Burlington, MA, 01803  
USA