



U.S. Department
of Transportation

Pipeline and
Hazardous Materials
Safety Administration

East Building, PHH-23
1200 New Jersey Ave, SE
Washington, D.C. 20590

**COMPETENT AUTHORITY CERTIFICATION FOR A
NON-FISSILE OR FISSILE EXCEPTED
URANIUM HEXAFLUORIDE PACKAGE DESIGN
CERTIFICATE USA/0819/H(M)-96, REVISION 1**

The Competent Authority of the United States certifies that the radioactive material package design described in this certificate satisfies the regulatory requirements for a Type H(M) package for non fissile or fissile excepted quantities of uranium hexafluoride as prescribed in the regulations of the International Atomic Energy Agency¹ and the United States of America² The package design is approved for use within the United States for import and export shipments made in accordance with applicable international and domestic transport regulations.

1. Package Identification - Kevil Kougar.
2. Package Description - The Kevil Kougar is as described in Daher-TLI Document, TR-20000-010-105. It is a smooth hexagonal shaped packaging designed to carry one 48-inch uranium hexafluoride cylinder. It consists of an upper subassembly and lower subassembly, which are fastened together with ten toggle bolts, five per side. Each subassembly consists of an outer and inner steel shell secured to a frame assembly, with wood and polyurethane foam filling the space.
3. Authorized Contents - Solid, non-fissile or fissile-excepted uranium hexafluoride in 48-inch cylinders, Models 48G, 48H, 48HX, 48O, 48OM, 48OM(Allied), and 48T, which comply with the special conditions listed in Section 5 of this certificate.
4. General Conditions -
 - a. Each user of this certificate must have in his possession a copy of this certificate and all documents necessary to properly prepare the package for transportation. The user shall prepare

¹ "Regulations for the Safe Transport of Radioactive Material, 2012 Edition, No. SSR-6" published by the International Atomic Energy Agency (IAEA), Vienna, Austria.

² Title 49, Code of Federal Regulations, Parts 100-199, United States of America.

CERTIFICATE USA/0819/H(M)-96, REVISION 1

the package for shipment in accordance with the documentation and applicable regulations.

- b. Each user of this certificate, other than the original petitioner, shall register his identity in writing to the Office of Engineering and Research, (PHH-23), Pipeline and Hazardous Materials Safety Administration, U.S. Department of Transportation, Washington D.C. 20590-0001.
- c. This certificate does not relieve any consignor or carrier from compliance with any requirement of the Government of any country through or into which the package is to be transported.
- d. Pursuant to Paragraph 558 of the IAEA Regulations, for each shipment made in accordance with this certificate, the shipper shall notify the competent authorities of each country through or into which the shipment is to be transported. The shipper shall ensure that this notification has been received by the competent authority at least 15 days prior to the commencement of the shipment.
- e. Records of Management System activities required by Paragraph 306 of the IAEA regulations¹ shall be maintained and made available to the authorized officials for at least three years after the last shipment authorized by this certificate. Consignors in the United States exporting shipments under this certificate shall satisfy the applicable requirements of Subpart H of 10 CFR 71.

5. Special Conditions -

- a. Cylinders transported under this certificate must have been designed and manufactured in accordance with the ANSI N14.1 standard in effect at the time of manufacture.
- b. Cylinders transported under this certificate must be operated and maintained in accordance with the ANSI N14.1 standard in effect at the time of shipment.
- c. Cylinders transported under this certificate must contain a quantity of uranium hexafluoride which is compliant with both Title 49 of U.S. Code of Federal Regulations and the ANSI N14.1 standard in effect at the time of shipment.

6. Marking and Labeling - The package shall bear the marking USA/0819/H(M)-96 in addition to other required markings and labeling.

CERTIFICATE USA/0819/H(M)-96, REVISION 1


7. Expiration Date - This certificate expires on November 30, 2026. Previous editions which have not reached their expiration date may continue to be used.

This certificate is issued in accordance with paragraph(s) 805 of the IAEA Regulations and Section 173.477 of Title 49 of the Code of Federal Regulations, in response to the October 27, 2021 petition by Orano TLI, Fulton, MD, and in consideration of other information on file in this Office.

Certified By:



November 05, 2021
(DATE)

 William Schoonover
Associate Administrator for Hazardous
Materials Safety

Revision 1 - Issued to extend the expiration date.



U.S. Department of
Transportation

**Pipeline and
Hazardous Materials
Safety Administration**

East Building, PHH-23
1200 New Jersey Ave, SE
Washington, D.C. 20590

CERTIFICATE NUMBER: USA/0819/H(M)-96

ORIGINAL REGISTRANT(S) :

Department of Energy
U.S. Department of Energy
1000 Independence Ave, SW
EM-60
Washington, DC, 20585
USA

Orano TLI
8161 Maple Lawn Boulevard
Suite 480
Fulton, MD, 20759
USA