

East Building, PHH-23 1200 New Jersey Ave, SE Washington, D.C. 20590

U.S. Department of Transportation

Hazardous Materials Safety Administration

Pipeline and

COMPETENT AUTHORITY CERTIFICATION FOR A TYPE B(U) RADIOACTIVE MATERIALS PACKAGE DESIGN CERTIFICATE USA/0838/B(U) REVISION 0

REVALIDATION OF UNITED KINGDOM COMPETENT AUTHORITY CERTIFICATE GB/2773D/B(U)

The Competent Authority of the United States certifies that the radioactive material package design described in this certificate satisfies the regulatory requirements for a Type B(U) package as prescribed in the regulations of the International Atomic Energy Agency¹ and the United States of America² The package design is approved for use within the United States for import and export shipments made in accordance with applicable international and domestic transport regulations.

- 1. Package Identification SAFSHIELD Package Design No 2773D.
- 2. <u>Package Description and Authorized Radioactive Contents</u> as described in United Kingdom Certificate of Competent Authority GB/2773D/B(U), Revision 1 (attached).
- 3. General Conditions
 - a. Each user of this certificate must have in his possession a copy of this certificate and all documents necessary to properly prepare the package for transportation. The user shall prepare the package for shipment in accordance with the documentation and applicable regulations.
 - b. Each user of this certificate, other than the original petitioner, shall register his identity in writing to the Office of Engineering and Research, (PHH-23), Pipeline and Hazardous Materials Safety Administration, U.S. Department of Transportation, Washington D.C. 20590-0001.

¹ "Regulations for the Safe Transport of Radioactive Material, 2018 Edition, No. SSR-6" published by the International Atomic Energy Agency (IAEA), Vienna, Austria.

² Title 49, Code of Federal Regulations, Parts 100-199, United States of America.

CERTIFICATE USA/0838/B(U), REVISION 0

- c. This certificate does not relieve any consignor or carrier from compliance with any requirement of the Government of any country through or into which the package is to be transported.
- d. Records of Management System activities required by Paragraph 306 of the IAEA regulations¹ shall be maintained and made available to the authorized officials for at least three years after the last shipment authorized by this certificate. Consignors in the United States exporting shipments under this certificate shall satisfy the applicable requirements of Subpart H of 10 CFR 71.
- 4. <u>Special Conditions</u> Within the 12-month period prior to shipment of normal form material, the flask's seal must be tested to demonstrate that the leak rate does not exceed 1 x 10^{-7} ref-cm³/sec. Prior to each shipment of normal form material, the flask's seal shall show no leakage when tested to a sensitivity of at least 1 x 10^{-3} ref-cm³/sec.
- 5. <u>Marking and Labeling</u> The package shall bear the marking USA/0838/B(U) in addition to other required markings and labeling.
- 6. Expiration Date This certificate expires on July 31, 2026.

This certificate is issued in accordance with paragraph(s) 810 of the IAEA Regulations and Section 173.473 of Title 49 of the Code of Federal Regulations, in response to the July 26, 2021 petition by Croft Associates Limited, Abingdon, Oxfordshire, UK, and in consideration of other information on file in this Office.

Certified By:

August 17, 2021 (DATE)

William Schoonover Associate Administrator for Hazardous Materials Safety

Revision 0 - Issued to endorse, with restrictions, United Kingdom Certificate GB/2773D/B(U), Revision 1. This package is approved as meeting the requirements of the 2018 Edition of the IAEA regulations.





This is to certify that for the purposes of the Regulations of the International Atomic Energy Agency

- The Competent Authority of Great Britain in respect of inland surface transport, being the Office for Nuclear Regulation;
- The Competent Authority of the United Kingdom of Great Britain and Northern Ireland in respect of sea transport, being the Secretary of State for Transport;
- The Competent Authority of the United Kingdom of Great Britain and Northern Ireland in respect of air transport, being the Civil Aviation Authority; and
- The Competent Authority of Northern Ireland in respect of road transport, being the Department of Agriculture, Environment and Rural Affairs - Northern Ireland

approve the package design specified in Section 1 of this certificate, as submitted for approval by Croft Associates Limited (see Section 5)

as: Type B(U)

by: road, rail and inland waterway, sea and air.

Office for

Nuclear Regulation

Packaging identification: SAFSHIELD - Package Design No 2773D

Packages manufactured to this design meet the requirements of the regulations and codes on page 2, relevant to the mode of transport, subject to the following general condition and to the conditions in the succeeding pages of this certificate.

In the event of any alteration in the composition of the package, the package design, the management system(s) associated with the package or in any of the facts stated in the application for approval, this certificate will cease to have effect unless the Competent Authority is notified of the alteration and the Competent Authority confirms the certificate notwithstanding the alteration.

Expiry Date: This certificate cancels all previous revisions and is valid until the end of July 2026 (see Section 5).

COMPETENT AUTHORITY IDENTIFICATION MARK: GB/2773D/B(U)

Signature:

5-llah

Date of Issue: 4 August 2021

Simon Clark, Inspector – Nuclear Safety Office for Nuclear Regulation Redgrave Court, Merton Road Bootle, Merseyside L20 7HS

on behalf of the Office for Nuclear Regulation; the Secretary of State for Transport; the Civil Aviation Authority; and the Department of Agriculture, Environment and Rural Affairs - Northern Ireland.

This certificate does not relieve the consignor from compliance with any requirement of the government of any country through or into which the package will be transported.

REGULATIONS GOVERNING THE TRANSPORT OF RADIOACTIVE MATERIALS

INTERNATIONAL

International Atomic Energy Agency (IAEA) SSR-6 Regulations for the Safe Transport of Radioactive Material 2018 Edition

United Nations Economic Commission for Europe (UNECE) Agreement concerning the International Carriage of Dangerous Goods by Road (ADR) 2021 Edition

Intergovernmental Organisation for International Carriage by Rail (OTIF) Regulations concerning the International Carriage of Dangerous Goods by Rail (RID) 2021 Edition

International Maritime Organization (IMO) International Maritime Dangerous Goods (IMDG) Code 2020 Edition incorporating Amendment 40-20

International Civil Aviation Organization (ICAO) Technical Instructions for the Safe Transport of Dangerous Goods by Air 2021-2022 Edition

UNITED KINGDOM

ROAD

GREAT BRITAIN ONLY:

The Energy Act 2013 (2013 c. 32); The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No. 1348); The Energy Act 2013 (Office for Nuclear Regulation) (Consequential Amendments, Transitional Provisions and Savings) Order 2014 (SI 2014 No. 469)

NORTHERN IRELAND ONLY:

The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations (Northern Ireland) 2010, (SR 2010 No 160)

RAIL

GREAT BRITAIN ONLY:

The Energy Act 2013 (2013 c. 32); The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No. 1348); The Energy Act 2013 (Office for Nuclear Regulation) (Consequential Amendments, Transitional Provisions and Savings) Order 2014 (SI 2014 No. 469)

SEA

British registered ships and all other ships whilst in United Kingdom territorial waters: The Merchant Shipping Act 1995 (1995 c. 21); The Merchant Shipping (Dangerous Goods and Marine Pollutants) Regulations 1997 (SI 1997 No. 2367); Merchant Shipping Notice MSN 1906 (M) The Carriage of Dangerous Goods and Marine Pollutants: Amendments to International Standards, Including Amendment 40-20 to the IMDG Code and amendments to the IBC Code and BCH Code

AIR

The Air Navigation Order 2016 (SI 2016 No. 765); The Air Navigation (Dangerous Goods) Regulations 2002 (SI 2002 No.2786)

1. DESIGN SPECIFICATION

Package Design

1.1 The package design specification shall be in accordance with Croft Associates Limited Design Safety Report for Package Design No. 2773D DSR GB2773D/B(U) Issue E dated 30 July 2021, and modifications to the package design approved by the authorities named on page 1 of this certificate under the established modifications procedure.

Design Drawings

1.2 The design is specified in the following drawings.

Design No.	Title (number of components)	Drawing / Drawing List	Issue
2773D	Drawing List for General Arrangement Packaging Design No. 2773D (One)	DL-1C-8133	A
2773D	General Arrangement Packaging Design No. 2773D (One)	1C-8133	A

Package Description and Materials of Manufacture

- 1.3 The "SAFSHIELD Package Design No 2773D" packaging consists of casket model number 2773 and shielding flask model number 2774. The packaging is designed for the carriage of radioactive materials that are contained in either welded primary stainless steel capsules or special form capsules (some with expired special form approval).
- 1.4 The casket 2773 consists of a double skinned low carbon steel base assembly and a double skinned carbon steel cover assembly. The cover assembly is fastened to the base assembly with stainless steel studs and nuts. The cavity between the double skin of the base assembly and cover assembly is filled with a Thermal Insulating and Shock Absorbing Foam (TISAF).
- 1.5 The flask 2774 consists of a double skinned austenitic stainless steel skin with the cavity filled with 4% antimony lead shielding. A stainless steel lead filled shielding plug is inserted into the inner cavity to provide radiation shielding of the contents. The flask is closed by bolting the closure flange to the top flange. Inner and outer O-rings are fitted to the top flange to facilitate a leak tight closure.

Package Dimension and Weights

- 1.6 Nominal dimensions: 1396 mm long and 1036 mm diameter (see Appendix 1 for package illustration).
- 1.7 Maximum authorised gross weight: 4,070kg.

Authorised Contents

1.8 The authorised radioactive contents are:

Ту	be Radionu	uclide	Number	Physical State	Chemical Composition or State	Maximum Activity
СТ	-1 ¹³⁷ Cs		Up to 11	Solid – Sealed capsules	Metal	236.7 TBq per package and 76.86 TBq per capsule

- 1.9 The CT-1 radioactive content shall be loaded in accordance with CPI 164 Issue B "Packing and Handling Instructions for Package Design No GB/2773D", dated 9 July 2021.
- 1.10 The total rate of heat generation shall not exceed 35 Watts.

Containment System

1.11 The containment system consists of the inner O-ring seal, the body shell and the lid of the flask design No 2774, as shown in Appendix 2.

2. USE OF PACKAGE

Information Provided in Safety Report on Use of Packaging

- 2.1 The packaging shall be used and handled in accordance with CPI 164 Issue B "Packing and Handling Instructions for Package Design No GB/2773D", dated 9 July 2021.
- 2.2 The packaging shall be maintained in accordance with CSP 002 Issue P "Serviceability Checks for Packaging Design No GB/2773A and Subsequent Variants" dated 31 August 2020.

Actions Prior to Shipment

2.3 Administrative controls shall ensure that the contents are in accordance with Section 1 of this certificate, and that the consignor and consignee hold a copy of the certificate and instructions on the use of the packaging.

Emergency Arrangements

- 2.4 Before shipment takes place, suitable emergency plans will have been drawn up, copies of which shall be supplied to the GB Competent Authority on demand.
- 2.5 Within Great Britain, if the consignor's own, or other approved emergency plans, cannot be initiated for any reason, then the police shall be informed immediately.

3. MANAGEMENT SYSTEMS

- 3.1 The management system(s) assessed as adequate in relation to this design by the authorities named on page 1 of this certificate, at the date of issue, are as specified in Design Safety Report reference DSR GB/2773D/B(U) Issue E dated 30 July 2021 referred to in Section 1 above, and comprise the following:
 - a) Croft Associates' Quality Management System.
- 3.2 No alteration may be made to any management system confirmed as adequate in relation to this design, unless:
 - a) the authorities named on page 1 of this certificate have confirmed the amended management system is adequate prior to implementation or use; or
 - b) the alteration falls within the agreed change control procedures set out in the management system(s).
- 3.3 Other management systems for design, testing, manufacture, documentation, use, maintenance, inspection, transport and in-transit storage operations may be used providing they comply with international, national or other standards for management systems agreed as acceptable by the authorities named on page 1 of this certificate.

4. ADMINISTRATIVE INFORMATION

Related Approvals

4.1 A certificate of approval is currently in place for the GB/2773 package variant A revision 9. This certificate expires on 30 June 2025.

Packaging Serial Numbers

4.2 For the purpose of compliance with ADR / RID, the owner of the packaging shall be responsible for informing ONR of the serial number of each packaging manufactured to this design.

5. CERTIFICATE STATUS

Design approval issued to:

Croft Associates Limited F4 Culham Science Centre Culham, Abingdon Oxon, United Kingdom OX14 3DB

Issue / Revision Number	Date of Issue	Date of Expiry	Reason for Revision
0	23 July 2021	31 July 2026	First approval
1	4 August 2021	31 July 2026	Modification to heat loading from 10 to 35 watts.

APPENDIX 1 – PACKAGE ILLUSTRATION



APPENDIX 2 – CONTAINMENT SYSTEM





East Building, PHH-23 1200 New Jersey Ave, SE Washington, D.C. 20590

U.S. Department of Transportation

Pipeline and Hazardous Materials Safety Administration

CERTIFICATE NUMBER: USA/0838/B(U)

ORIGINAL REGISTRANT(S):

Croft Associates Limited Building F4 Culham Science Centre Culham Abingdon, Oxfordshire, OX14 3DB UK